


Construct	Fusion protein			Expression in yeast	in yeast
p66SH2-1	lexA ₈₇ -66	lexA-87			+
p66Lex202	lexA ₂₀₂ -66	lexA-202	99d		-/+
p66AlaLex202	lexA ₂₀₂ -Ala-66	lexA-202	99d		+
p66NLexA	66-lexA ₂₀₂		99d	lexA-202	1
p66GBT9	Gal4BD-66	Санво	99d		./1:
p66GADNOT	GaMAD-66	Gal4AD	99d		5 ‡
p66AlaACTil	Gal4AD-HA-Ala-66	Gal4AD	99d	· ·	+
	A 201	10 4 00	261		•
p515HZ-1	C.LEUYAI	/0-WYM			+ +
p51Lex202	lexA ₂₀₂ -51	lexA-202	p51		++
p51AS2-1	Gal4BD-51	Gal4BD	p51		ND
p51GADNOT	Gal4AD-51	Свич	p51		+ +
p51ACTII	Gal4AD-HA-51	GaMAD	p51		++







.*	Fusion Proteins	beta-gal activity (Miller Units)
	p66wt : p51wt	3.2
•	p66wt : pAD	0.01
*	p66mut : p51mut	0.06
	p66wt : p51mut	1.9
	p66mut : p51wt	0.1


FIGURE 5





5/15




























FIGURE 15 15/15 A

